



R Series ROLLER TRACKS

R-4036


— Shaft Distance

— Roller Track Width

ROLLER TRACKS


SURFACE : ● BK ○ WZ

R-3533





kg/m	0.830
m/Pc	4
m/Bdl	40

R-4036





kg/m	1.100
m/Pc	3.99
m/Bdl	39.9

R-S4036




kg/m	1.100
m/Pc	4
m/Bdl	40

R-4036A





kg/m	1.100
m/Pc	3.99
m/Bdl	39.9

R-S4036A





kg/m	1.100
m/Pc	4
m/Bdl	40

R-40225




kg/m	1.100
m/Pc	4
m/Bdl	40

R-4045A




kg/m	1.100
m/Pc	4
m/Bdl	40

R-4045B





kg/m	1.100
m/Pc	4
m/Bdl	40

R-6016





kg/m	1.450
m/Pc	4
m/Bdl	24

R-6032




kg/m	1.450
m/Pc	4
m/Bdl	24

R-8040




kg/m	1.620
m/Pc	4
m/Bdl	16

R-S8040



kg/m	1.620
m/Pc	4
m/Bdl	16

R-8519





kg/m	2.000
m/Pc	4
m/Bdl	16

R-S8520





kg/m	2.000
m/Pc	4
m/Bdl	16

R-8525



kg/m	1.650
m/Pc	4
m/Bdl	16

R-8550





kg/m	1.650
m/Pc	4
m/Bdl	16

ROLLER TRACKS (R-28H)



SURFACE : ●BK ○WZ

R-28H1





kg/Pc	0.128
Pc/Ctn	95

R-28H2





kg/Pc	0.150
Pc/Ctn	85

R-28H3




kg/Pc	0.153
Pc/Ctn	80

R-28H4B




kg/Pc	0.171
Pc/Ctn	50

R-28H5



kg/Pc	0.112
Pc/Ctn	110



R-28H5B



kg/Pc	0.117
Pc/Ctn	110


ROLLER TRACKS (R-35H)

R-35H1





kg/Pc	0.167
Pc/Ctn	70

R-35H2




kg/Pc	0.211
Pc/Ctn	45

R-35H3A



kg/Pc	0.191
Pc/Ctn	55



R-35H5



kg/Pc	0.137
Pc/Ctn	90


ROLLER TRACKS (R-40H)

R-40BH1





kg/Pc	0.141
Pc/Ctn	65

R-40BH2





kg/Pc	0.193
Pc/Ctn	60

R-40BH3




kg/Pc	0.167
Pc/Ctn	60

R-40BH4




kg/Pc	0.270
Pc/Ctn	35

R-40BH5




kg/Pc	0.120
Pc/Ctn	160

R-40BH6




kg/Pc	0.180
Pc/Ctn	110

R-40BH6A




kg/Pc	0.230
Pc/Ctn	50

R-40BH31



kg/Pc	0.180
Pc/Ctn	80

R-40BH33




kg/Pc	0.230
Pc/Ctn	65

ROLLER TRACKS (R-40H)


SURFACE : ● BK ○ WZ

R-40H1





kg/Pc	0.182
Pc/Ctn	45

R-40H2




kg/Pc	0.234
Pc/Ctn	45

R-40H3




kg/Pc	0.208
Pc/Ctn	40

R-40H6



kg/Pc	0.272
Pc/Ctn	50



R-40H6A



kg/Pc	0.320
Pc/Ctn	20



ROLLER TRACKS (RP-40)

RP-40A




kg/m	0.980
m/Pc	4
m/Bdl	40

RP-40B




kg/m	0.660
m/Pc	4
m/Bdl	40

RP-40C




kg/m	0.980
m/Pc	4
m/Bdl	40

RP-40D



Kg/Pc	4
Pc/Ctn	40

RP-5030ESD2440





kg/m	0.400
m/Pc	2.44
m/Bdl	48.8

ROLLER TRACKS (ODM)



SURFACE : ●BK ○WZ

R-40BH2B





kg/Pc	0.167
Pc/Ctn	50

R-40BH4A




kg/Pc	0.213
Pc/Ctn	30

R-40BH4B





kg/Pc	0.190
Pc/Ctn	40

R-40H2A




kg/Pc	0.234
Pc/Ctn	45

R-40H4A





kg/Pc	0.290
Pc/Ctn	30

R-4040H1




kg/Pc	0.220
Pc/Ctn	45

R-4040H3




kg/Pc	0.250
Pc/Ctn	35

R-44H1




kg/Pc	0.186
Pc/Ctn	40

R-44H3



kg/Pc	0.220
Pc/Ctn	35



R-85H2A



kg/Pc	0.405
Pc/Ctn	20



ROLLER TRACKS (R-60H)

R-60BH1




kg/Pc	0.220
Pc/Ctn	50

R-60BH2





kg/Pc	0.300
Pc/Ctn	45

R-60BH3





kg/Pc	0.240
Pc/Ctn	45

R-60BH4




kg/Pc	0.263
Pc/Ctn	35

R-60BH5





kg/Pc	0.140
Pc/Ctn	140

R-60BH6




kg/Pc	0.215
Pc/Ctn	80

R-60BH6A




kg/Pc	0.267
Pc/Ctn	30

R-60BH31



kg/Pc	0.267
Pc/Ctn	65

R-60BH33





kg/Pc	0.267
Pc/Ctn	45

ROLLER TRACKS (R-80H)



SURFACE : ●BK ○WZ

R-80BH1




kg/Pc	0.220
Pc/Ctn	35

R-80BH2





kg/Pc	0.300
Pc/Ctn	35

R-80BH3





kg/Pc	0.240
Pc/Ctn	30

R-80BH4




kg/Pc	0.263
Pc/Ctn	20

R-80BH5




kg/Pc	0.140
Pc/Ctn	50

R-80BH6





kg/Pc	0.215
Pc/Ctn	55

R-80BH6A




kg/Pc	0.267
Pc/Ctn	20

R-80BH31



kg/Pc	0.267
Pc/Ctn	35



R-80BH33



kg/Pc	0.267
Pc/Ctn	30



ROLLER TRACKS (R-85H)

R-85BH1




kg/Pc	0.220
Pc/Ctn	30

R-85BH2





kg/Pc	0.300
Pc/Ctn	30

R-85BH3





kg/Pc	0.240
Pc/Ctn	30

R-85BH4




kg/Pc	0.263
Pc/Ctn	20

R-85BH5




kg/Pc	0.140
Pc/Ctn	100

R-85BH6





kg/Pc	0.215
Pc/Ctn	40

R-85BH6A




kg/Pc	0.267
Pc/Ctn	20

R-85BH31



kg/Pc	0.267
Pc/Ctn	30

R-85BH33




kg/Pc	0.267
Pc/Ctn	25

ROLLER TRACKS (R-85H)



SURFACE : ● BK ○ WZ

R-85H1





kg/Pc	0.220
Pc/Ctn	25

R-85H2




kg/Pc	0.300
Pc/Ctn	20

R-85H3




kg/Pc	0.240
Pc/Ctn	25

R-85H31



kg/Pc	0.300
Pc/Ctn	25

R-85H33



kg/Pc	0.240
Pc/Ctn	25